

Solve for x.

$$(1) x = \boxed{} \\ x + 12 = 19$$

$$(2) x = \boxed{} \\ x - 7 = -4$$

$$(3) x = \boxed{} \\ 5 = x + 8$$

$$(4) x = \boxed{} \\ x - 8.69 = -11.77$$

$$(5) x = \boxed{} \\ 7x = -42$$

$$(6) x = \boxed{} \\ \frac{x}{9} = 3$$

$$(7) x = \boxed{} \\ 2 = -2x$$

$$(8) x = \boxed{} \\ 1.31x = -1.5851$$

$$(9) x = \boxed{} \\ 10x - 3 = 77$$

$$(10) x = \boxed{} \\ x/5 - 8 = 6$$

$$(11) x = \boxed{} \\ 22 = -11x + 0$$

$$(12) x = \boxed{} \\ -5.15x - 7.02 = 28.824$$

$$(13) x = \boxed{} \\ 7x = 6x + 6$$

$$(14) x = \boxed{} \\ -4x = -6x + 16$$

$$(15) x = \boxed{} \\ -11x = -3x - 8$$

$$(16) x = \boxed{} \\ 4.47x = -0.74x + 10.4721$$

$$(17) x = \boxed{} \\ 10x - 4 = 9x - 6$$

$$(18) x = \boxed{} \\ 18x + 1 = 8x + 81$$

$$(19) x = \boxed{} \\ -4x - 9 = 4x - 1$$

$$(20) x = \boxed{} \\ 4.58x - 9.73 = 7.96x + 92.5964$$

Solve for x.

$$(1) x = \boxed{} \\ x + 12 = 17$$

$$(2) x = \boxed{} \\ x - 10 = -12$$

$$(3) x = \boxed{} \\ 6 = x + 9$$

$$(4) x = \boxed{} \\ x + 7.5 = 0.51$$

$$(5) x = \boxed{} \\ 8x = -40$$

$$(6) x = \boxed{} \\ \frac{x}{12} = -9$$

$$(7) x = \boxed{} \\ 40 = -8x$$

$$(8) x = \boxed{} \\ -5.37x = -8.1624$$

$$(9) x = \boxed{} \\ 9x + 7 = -29$$

$$(10) x = \boxed{} \\ x/11 - 3 = -6$$

$$(11) x = \boxed{} \\ 17 = -2x + 5$$

$$(12) x = \boxed{} \\ 1.5x - 7.51 = -17.785$$

$$(13) x = \boxed{} \\ 6x = 5x + 8$$

$$(14) x = \boxed{} \\ 11x = 3x - 56$$

$$(15) x = \boxed{} \\ -14x = -7x - 63$$

$$(16) x = \boxed{} \\ 10.04x = 4.55x - 40.626$$

$$(17) x = \boxed{} \\ 8x - 5 = 7x - 8$$

$$(18) x = \boxed{} \\ 11x + 7 = 7x + 7$$

$$(19) x = \boxed{} \\ -7x - 6 = -5x - 18$$

$$(20) x = \boxed{} \\ -2.37x - 6 = 6.05x - 0.3328$$

Solve for x.

$$(1) x = \boxed{} \\ x + 12 = 3$$

$$(2) x = \boxed{} \\ x - 2 = -9$$

$$(3) x = \boxed{} \\ -9 = x - 2$$

$$(4) x = \boxed{} \\ x - 5.38 = -3.42$$

$$(5) x = \boxed{} \\ 11x = -33$$

$$(6) x = \boxed{} \\ \frac{x}{8} = -3$$

$$(7) x = \boxed{} \\ 0 = -10x$$

$$(8) x = \boxed{} \\ -5.16x = 42.2088$$

$$(9) x = \boxed{} \\ 11x - 9 = 13$$

$$(10) x = \boxed{} \\ x/10 - 7 = 9$$

$$(11) x = \boxed{} \\ 48 = -10x - 2$$

$$(12) x = \boxed{} \\ -1.5x + 2.94 = -11.16$$

$$(13) x = \boxed{} \\ 9x = 8x - 4$$

$$(14) x = \boxed{} \\ 7x = 5x - 4$$

$$(15) x = \boxed{} \\ -9x = -7x - 12$$

$$(16) x = \boxed{} \\ -7.55x = 2.16x + 85.5451$$

$$(17) x = \boxed{} \\ 10x - 3 = 9x + 4$$

$$(18) x = \boxed{} \\ 8x + 6 = -4x + 102$$

$$(19) x = \boxed{} \\ -11x + 9 = -2x + 90$$

$$(20) x = \boxed{} \\ 8.1x + 9.39 = 9.31x - 20.207$$

Solve for x.

$$(1) \ x = \boxed{} \\ x + 12 = 13$$

$$(2) \ x = \boxed{} \\ x - 9 = -1$$

$$(3) \ x = \boxed{} \\ 6 = x + 1$$

$$(4) \ x = \boxed{} \\ x + 8.48 = 15.21$$

$$(5) \ x = \boxed{} \\ 4x = 8$$

$$(6) \ x = \boxed{} \\ \frac{x}{5} = -4$$

$$(7) \ x = \boxed{} \\ -5 = -5x$$

$$(8) \ x = \boxed{} \\ -6.92x = 58.3356$$

$$(9) \ x = \boxed{} \\ 11x + 2 = 68$$

$$(10) \ x = \boxed{} \\ x/3 - 9 = 8$$

$$(11) \ x = \boxed{} \\ -15 = -6x + 9$$

$$(12) \ x = \boxed{} \\ -6.59x + 0.02 = -54.0839$$

$$(13) \ x = \boxed{} \\ 4x = 3x - 8$$

$$(14) \ x = \boxed{} \\ 6x = -3x - 18$$

$$(15) \ x = \boxed{} \\ -16x = -9x - 35$$

$$(16) \ x = \boxed{} \\ -17.68x = -9.12x - 79.6936$$

$$(17) \ x = \boxed{} \\ 5x + 2 = 4x + 10$$

$$(18) \ x = \boxed{} \\ 13x + 9 = 7x + 63$$

$$(19) \ x = \boxed{} \\ -6x + 9 = -3x - 15$$

$$(20) \ x = \boxed{} \\ 1.48x + 7.33 = 2.49x + 39.09$$

Solve for x.

$$(1) x = \boxed{} \\ x + 4 = 7$$

$$(2) x = \boxed{} \\ x - 5 = -8$$

$$(3) x = \boxed{} \\ 7 = x + 4$$

$$(4) x = \boxed{} \\ x - 7.85 = -8.17$$

$$(5) x = \boxed{} \\ 10x = -40$$

$$(6) x = \boxed{} \\ \frac{x}{8} = -1$$

$$(7) x = \boxed{} \\ -60 = -10x$$

$$(8) x = \boxed{} \\ 9.03x = 4.515$$

$$(9) x = \boxed{} \\ 3x + 8 = 26$$

$$(10) x = \boxed{} \\ x/9 - 7 = 2$$

$$(11) x = \boxed{} \\ -26 = -4x - 2$$

$$(12) x = \boxed{} \\ 2.7x - 6.77 = 19.177$$

$$(13) x = \boxed{} \\ 4x = 3x + 4$$

$$(14) x = \boxed{} \\ 20x = 8x + 60$$

$$(15) x = \boxed{} \\ 4x = 9x + 5$$

$$(16) x = \boxed{} \\ 1.58x = 5.07x - 33.6785$$

$$(17) x = \boxed{} \\ 7x + 8 = 6x + 2$$

$$(18) x = \boxed{} \\ -2x + 7 = -8x + 43$$

$$(19) x = \boxed{} \\ -14x - 6 = -9x - 26$$

$$(20) x = \boxed{} \\ 1.35x + 5.83 = -9.63x + 39.364$$

Solve for x.

$$(1) x = \boxed{} \\ x + 8 = 15$$

$$(2) x = \boxed{} \\ x - 6 = -11$$

$$(3) x = \boxed{} \\ 0 = x + 1$$

$$(4) x = \boxed{} \\ x - 3.45 = -12.5$$

$$(5) x = \boxed{} \\ 12x = 48$$

$$(6) x = \boxed{} \\ \frac{x}{6} = 1$$

$$(7) x = \boxed{} \\ 90 = -10x$$

$$(8) x = \boxed{} \\ -1.93x = -15.826$$

$$(9) x = \boxed{} \\ 10x + 2 = 72$$

$$(10) x = \boxed{} \\ x/12 - 8 = -2$$

$$(11) x = \boxed{} \\ 109 = -12x + 1$$

$$(12) x = \boxed{} \\ 4.46x - 2.65 = -23.5228$$

$$(13) x = \boxed{} \\ 10x = 9x + 5$$

$$(14) x = \boxed{} \\ 4x = -1x + 30$$

$$(15) x = \boxed{} \\ -7x = -2x - 15$$

$$(16) x = \boxed{} \\ 1.05x = -2.69x - 12.1176$$

$$(17) x = \boxed{} \\ 9x - 1 = 8x - 4$$

$$(18) x = \boxed{} \\ 13x - 1 = 3x - 1$$

$$(19) x = \boxed{} \\ 1x + 7 = 4x - 2$$

$$(20) x = \boxed{} \\ 6.87x - 4.09 = 7.35x - 26.131$$

Solve for x.

$$(1) x = \boxed{} \\ x + 7 = 15$$

$$(2) x = \boxed{} \\ x - 1 = 5$$

$$(3) x = \boxed{} \\ 13 = x + 8$$

$$(4) x = \boxed{} \\ x + 6.02 = 9.69$$

$$(5) x = \boxed{} \\ 9x = 36$$

$$(6) x = \boxed{} \\ \frac{x}{4} = -1$$

$$(7) x = \boxed{} \\ -60 = -12x$$

$$(8) x = \boxed{} \\ -0.62x = -1.6058$$

$$(9) x = \boxed{} \\ 3x + 3 = 3$$

$$(10) x = \boxed{} \\ x/7 - 5 = 1$$

$$(11) x = \boxed{} \\ 66 = -8x + 2$$

$$(12) x = \boxed{} \\ 2.62x + 8.19 = -13.3202$$

$$(13) x = \boxed{} \\ 5x = 4x - 7$$

$$(14) x = \boxed{} \\ 4x = -2x - 6$$

$$(15) x = \boxed{} \\ -11x = -2x - 72$$

$$(16) x = \boxed{} \\ 1.15x = 2.44x - 6.7338$$

$$(17) x = \boxed{} \\ 9x - 8 = 8x - 10$$

$$(18) x = \boxed{} \\ -4x - 5 = -7x + 13$$

$$(19) x = \boxed{} \\ -18x + 8 = -6x - 16$$

$$(20) x = \boxed{} \\ -2.29x - 9.17 = -0.49x - 6.2232$$

Solve for x.

$$(1) x = \boxed{} \\ x + 9 = 12$$

$$(2) x = \boxed{} \\ x - 5 = -10$$

$$(3) x = \boxed{} \\ -12 = x - 9$$

$$(4) x = \boxed{} \\ x - 2.05 = 3.96$$

$$(5) x = \boxed{} \\ 5x = -5$$

$$(6) x = \boxed{} \\ \frac{x}{10} = 1$$

$$(7) x = \boxed{} \\ -80 = -10x$$

$$(8) x = \boxed{} \\ 6.31x = 15.5226$$

$$(9) x = \boxed{} \\ 9x - 7 = -88$$

$$(10) x = \boxed{} \\ x/5 + 5 = 9$$

$$(11) x = \boxed{} \\ 19 = -2x + 1$$

$$(12) x = \boxed{} \\ 0.17x + 4.93 = 3.3881$$

$$(13) x = \boxed{} \\ 7x = 6x + 2$$

$$(14) x = \boxed{} \\ -6x = -8x - 16$$

$$(15) x = \boxed{} \\ -3x = 1x - 28$$

$$(16) x = \boxed{} \\ -7.69x = 2.15x - 78.3264$$

$$(17) x = \boxed{} \\ 5x + 7 = 4x + 5$$

$$(18) x = \boxed{} \\ 9x + 4 = 2x + 32$$

$$(19) x = \boxed{} \\ -2x - 2 = 3x + 28$$

$$(20) x = \boxed{} \\ -4.47x + 4.91 = -3.6x + 57.4457$$

Solve for x.

$$(1) x = \boxed{} \\ x + 8 = 8$$

$$(2) x = \boxed{} \\ x - 5 = -6$$

$$(3) x = \boxed{} \\ -4 = x - 2$$

$$(4) x = \boxed{} \\ x - 4.85 = -0.75$$

$$(5) x = \boxed{} \\ 6x = -24$$

$$(6) x = \boxed{} \\ \frac{x}{12} = 1$$

$$(7) x = \boxed{} \\ 20 = -5x$$

$$(8) x = \boxed{} \\ -1.86x = -4.8918$$

$$(9) x = \boxed{} \\ 12x - 6 = 102$$

$$(10) x = \boxed{} \\ x/6 + 0 = -6$$

$$(11) x = \boxed{} \\ -14 = -3x + 1$$

$$(12) x = \boxed{} \\ -8.64x - 3.17 = 0.0268$$

$$(13) x = \boxed{} \\ 3x = 2x - 2$$

$$(14) x = \boxed{} \\ -6x = -8x - 18$$

$$(15) x = \boxed{} \\ -1x = 7x + 32$$

$$(16) x = \boxed{} \\ -18.1x = -8.85x - 45.0475$$

$$(17) x = \boxed{} \\ 3x + 9 = 2x + 3$$

$$(18) x = \boxed{} \\ 14x + 5 = 3x + 5$$

$$(19) x = \boxed{} \\ -10x - 5 = -6x - 29$$

$$(20) x = \boxed{} \\ -5.15x - 6.52 = 7.01x + 8.5274$$

Solve for x.

$$(1) x = \boxed{} \\ x + 2 = -3$$

$$(2) x = \boxed{} \\ x - 2 = -6$$

$$(3) x = \boxed{} \\ -15 = x - 9$$

$$(4) x = \boxed{} \\ x - 6.37 = 3.32$$

$$(5) x = \boxed{} \\ 11x = -22$$

$$(6) x = \boxed{} \\ \frac{x}{8} = -8$$

$$(7) x = \boxed{} \\ 0 = -7x$$

$$(8) x = \boxed{} \\ 5.43x = 0.8688$$

$$(9) x = \boxed{} \\ 10x - 7 = -67$$

$$(10) x = \boxed{} \\ x/7 + 4 = 6$$

$$(11) x = \boxed{} \\ 33 = -10x + 3$$

$$(12) x = \boxed{} \\ -8.29x + 0.61 = 3.1799$$

$$(13) x = \boxed{} \\ 12x = 11x - 7$$

$$(14) x = \boxed{} \\ 2x = -5x + 63$$

$$(15) x = \boxed{} \\ -4x = 8x - 48$$

$$(16) x = \boxed{} \\ 5.03x = 2.27x - 26.6616$$

$$(17) x = \boxed{} \\ 4x - 8 = 3x - 6$$

$$(18) x = \boxed{} \\ 3x + 7 = -6x + 88$$

$$(19) x = \boxed{} \\ -11x + 8 = -1x + 58$$

$$(20) x = \boxed{} \\ -0.07x + 7.32 = 5.64x + 56.7816$$

Solve for x.

$$(1) x = \boxed{} \\ x + 5 = 14$$

$$(2) x = \boxed{} \\ x - 9 = -7$$

$$(3) x = \boxed{} \\ -5 = x - 1$$

$$(4) x = \boxed{} \\ x + 1.89 = -2.4$$

$$(5) x = \boxed{} \\ 7x = 49$$

$$(6) x = \boxed{} \\ \frac{x}{5} = -2$$

$$(7) x = \boxed{} \\ -77 = -11x$$

$$(8) x = \boxed{} \\ -2.13x = 11.3529$$

$$(9) x = \boxed{} \\ 11x - 8 = 69$$

$$(10) x = \boxed{} \\ x/6 - 1 = 3$$

$$(11) x = \boxed{} \\ -27 = -6x - 3$$

$$(12) x = \boxed{} \\ 0.04x - 5.07 = -5.2832$$

$$(13) x = \boxed{} \\ 8x = 7x - 5$$

$$(14) x = \boxed{} \\ -1x = -6x - 5$$

$$(15) x = \boxed{} \\ -16x = -5x - 66$$

$$(16) x = \boxed{} \\ -5.76x = -2.38x - 11.2892$$

$$(17) x = \boxed{} \\ 8x - 4 = 7x - 6$$

$$(18) x = \boxed{} \\ -4x + 5 = -8x - 15$$

$$(19) x = \boxed{} \\ -10x + 2 = -3x + 44$$

$$(20) x = \boxed{} \\ 4.64x - 5.35 = 0.71x - 11.3955$$

Solve for x.

$$(1) x = \boxed{} \\ x + 4 = 13$$

$$(2) x = \boxed{} \\ x - 1 = -6$$

$$(3) x = \boxed{} \\ -5 = x + 4$$

$$(4) x = \boxed{} \\ x + 5.98 = -2.58$$

$$(5) x = \boxed{} \\ 6x = -48$$

$$(6) x = \boxed{} \\ \frac{x}{6} = -2$$

$$(7) x = \boxed{} \\ -54 = -9x$$

$$(8) x = \boxed{} \\ -1.22x = -3.3794$$

$$(9) x = \boxed{} \\ 7x - 7 = -56$$

$$(10) x = \boxed{} \\ x/8 + 2 = -3$$

$$(11) x = \boxed{} \\ -8 = -7x + 6$$

$$(12) x = \boxed{} \\ -3.25x + 8.22 = 17.58$$

$$(13) x = \boxed{} \\ 8x = 7x - 2$$

$$(14) x = \boxed{} \\ 1x = -6x + 63$$

$$(15) x = \boxed{} \\ 6x = 8x + 18$$

$$(16) x = \boxed{} \\ -2.1x = -8.28x - 58.5246$$

$$(17) x = \boxed{} \\ 4x + 9 = 3x + 8$$

$$(18) x = \boxed{} \\ 19x + 4 = 8x + 15$$

$$(19) x = \boxed{} \\ -18x + 3 = -7x - 74$$

$$(20) x = \boxed{} \\ 7.11x + 6.42 = 3.31x + 17.0484$$

Solve for x.

$$(1) x = \boxed{} \\ x + 2 = 8$$

$$(2) x = \boxed{} \\ x - 1 = -6$$

$$(3) x = \boxed{} \\ -12 = x - 8$$

$$(4) x = \boxed{} \\ x - 2 = 0.52$$

$$(5) x = \boxed{} \\ 3x = -3$$

$$(6) x = \boxed{} \\ \frac{x}{12} = -3$$

$$(7) x = \boxed{} \\ 6 = -2x$$

$$(8) x = \boxed{} \\ -9.37x = 88.3591$$

$$(9) x = \boxed{} \\ 10x - 6 = -26$$

$$(10) x = \boxed{} \\ x/4 + 5 = -6$$

$$(11) x = \boxed{} \\ -12 = -3x + 3$$

$$(12) x = \boxed{} \\ 7.98x - 6.49 = -31.1482$$

$$(13) x = \boxed{} \\ 10x = 9x - 7$$

$$(14) x = \boxed{} \\ -1x = -5x + 28$$

$$(15) x = \boxed{} \\ 3x = 7x - 8$$

$$(16) x = \boxed{} \\ 2.62x = 3.32x - 5.684$$

$$(17) x = \boxed{} \\ 12x + 5 = 11x + 10$$

$$(18) x = \boxed{} \\ 5x + 3 = -1x - 9$$

$$(19) x = \boxed{} \\ -10x + 4 = -5x - 6$$

$$(20) x = \boxed{} \\ -6.01x + 0.17 = 2.73x + 30.0836$$

Solve for x.

$$(1) x = \boxed{} \\ x + 6 = -1$$

$$(2) x = \boxed{} \\ x - 10 = -2$$

$$(3) x = \boxed{} \\ -1 = x - 3$$

$$(4) x = \boxed{} \\ x + 0.72 = -2.58$$

$$(5) x = \boxed{} \\ 2x = 12$$

$$(6) x = \boxed{} \\ \frac{x}{6} = 1$$

$$(7) x = \boxed{} \\ 22 = -11x$$

$$(8) x = \boxed{} \\ -7.05x = -10.998$$

$$(9) x = \boxed{} \\ 4x + 0 = 12$$

$$(10) x = \boxed{} \\ x/6 - 8 = 1$$

$$(11) x = \boxed{} \\ -53 = -5x - 8$$

$$(12) x = \boxed{} \\ -6.15x - 8.91 = -31.296$$

$$(13) x = \boxed{} \\ 5x = 4x - 6$$

$$(14) x = \boxed{} \\ 14x = 3x + 11$$

$$(15) x = \boxed{} \\ -8x = -3x - 30$$

$$(16) x = \boxed{} \\ 0.85x = -0.82x - 0.5678$$

$$(17) x = \boxed{} \\ 13x - 3 = 12x + 4$$

$$(18) x = \boxed{} \\ 1x + 6 = -7x - 58$$

$$(19) x = \boxed{} \\ -12x - 3 = -6x + 39$$

$$(20) x = \boxed{} \\ 8.93x + 6.53 = 9.89x - 154.193$$

Solve for x.

$$(1) x = \boxed{} \\ x + 9 = 17$$

$$(2) x = \boxed{} \\ x - 1 = -9$$

$$(3) x = \boxed{} \\ -14 = x - 6$$

$$(4) x = \boxed{} \\ x + 9.3 = 8.58$$

$$(5) x = \boxed{} \\ 3x = -24$$

$$(6) x = \boxed{} \\ \frac{x}{8} = 3$$

$$(7) x = \boxed{} \\ 54 = -9x$$

$$(8) x = \boxed{} \\ -7.49x = -71.0801$$

$$(9) x = \boxed{} \\ 6x - 2 = 34$$

$$(10) x = \boxed{} \\ x/8 + 8 = 8$$

$$(11) x = \boxed{} \\ 48 = -10x + 8$$

$$(12) x = \boxed{} \\ 1.88x - 6.61 = -15.0136$$

$$(13) x = \boxed{} \\ 10x = 9x + 5$$

$$(14) x = \boxed{} \\ 15x = 7x - 72$$

$$(15) x = \boxed{} \\ -5x = 4x + 72$$

$$(16) x = \boxed{} \\ -6.26x = -6.69x - 1.0664$$

$$(17) x = \boxed{} \\ 5x + 9 = 4x + 11$$

$$(18) x = \boxed{} \\ 13x + 7 = 4x - 29$$

$$(19) x = \boxed{} \\ -1x + 7 = 5x + 7$$

$$(20) x = \boxed{} \\ 5.76x + 8.92 = -9.34x - 15.6746$$

Solve for x.

$$(1) x = \boxed{} \\ x + 10 = 3$$

$$(2) x = \boxed{} \\ x - 2 = 3$$

$$(3) x = \boxed{} \\ -2 = x + 3$$

$$(4) x = \boxed{} \\ x - 0.7 = -4.35$$

$$(5) x = \boxed{} \\ 3x = -9$$

$$(6) x = \boxed{} \\ \frac{x}{7} = 7$$

$$(7) x = \boxed{} \\ 18 = -2x$$

$$(8) x = \boxed{} \\ -9.8x = -44.002$$

$$(9) x = \boxed{} \\ 9x - 6 = -15$$

$$(10) x = \boxed{} \\ x/2 - 2 = -2$$

$$(11) x = \boxed{} \\ -69 = -12x + 3$$

$$(12) x = \boxed{} \\ -9.6x - 3.1 = -16.54$$

$$(13) x = \boxed{} \\ 8x = 7x + 5$$

$$(14) x = \boxed{} \\ 5x = -3x + 72$$

$$(15) x = \boxed{} \\ -6x = -2x - 36$$

$$(16) x = \boxed{} \\ -9.44x = -7.72x - 16.9936$$

$$(17) x = \boxed{} \\ 13x - 4 = 12x - 9$$

$$(18) x = \boxed{} \\ 11x - 5 = 1x - 85$$

$$(19) x = \boxed{} \\ 1x - 5 = 5x - 9$$

$$(20) x = \boxed{} \\ -0.9x - 1.17 = 1.2x - 1.941$$

Solve for x.

$$(1) x = \boxed{} \\ x + 7 = 15$$

$$(2) x = \boxed{} \\ x - 7 = -14$$

$$(3) x = \boxed{} \\ -4 = x + 4$$

$$(4) x = \boxed{} \\ x + 2.8 = 8.31$$

$$(5) x = \boxed{} \\ 10x = -60$$

$$(6) x = \boxed{} \\ \frac{x}{8} = -1$$

$$(7) x = \boxed{} \\ -16 = -4x$$

$$(8) x = \boxed{} \\ 7.37x = 67.804$$

$$(9) x = \boxed{} \\ 9x + 5 = -49$$

$$(10) x = \boxed{} \\ x/9 - 4 = 0$$

$$(11) x = \boxed{} \\ 65 = -8x - 7$$

$$(12) x = \boxed{} \\ 8.28x - 4.31 = -30.5576$$

$$(13) x = \boxed{} \\ 12x = 11x + 7$$

$$(14) x = \boxed{} \\ 16x = 4x - 60$$

$$(15) x = \boxed{} \\ -13x = -8x - 15$$

$$(16) x = \boxed{} \\ -12.86x = -7.86x + 48.1$$

$$(17) x = \boxed{} \\ 8x + 6 = 7x + 7$$

$$(18) x = \boxed{} \\ 9x + 4 = 1x + 76$$

$$(19) x = \boxed{} \\ -1x - 5 = 5x - 11$$

$$(20) x = \boxed{} \\ -1.48x + 5.24 = 9.9x - 44.1012$$

Solve for x.

$$(1) x = \boxed{} \\ x + 9 = 1$$

$$(2) x = \boxed{} \\ x - 4 = -3$$

$$(3) x = \boxed{} \\ -4 = x + 4$$

$$(4) x = \boxed{} \\ x - 8.21 = -11.36$$

$$(5) x = \boxed{} \\ 4x = 20$$

$$(6) x = \boxed{} \\ \frac{x}{4} = -5$$

$$(7) x = \boxed{} \\ -6 = -2x$$

$$(8) x = \boxed{} \\ 1.68x = 16.6992$$

$$(9) x = \boxed{} \\ 4x + 7 = -5$$

$$(10) x = \boxed{} \\ x/2 - 4 = -4$$

$$(11) x = \boxed{} \\ 71 = -7x + 8$$

$$(12) x = \boxed{} \\ 2.65x - 1.64 = 3.395$$

$$(13) x = \boxed{} \\ 13x = 12x - 2$$

$$(14) x = \boxed{} \\ 9x = 3x + 42$$

$$(15) x = \boxed{} \\ -14x = -7x - 63$$

$$(16) x = \boxed{} \\ 1.46x = 1.87x - 4.0631$$

$$(17) x = \boxed{} \\ 11x + 3 = 10x + 5$$

$$(18) x = \boxed{} \\ 13x + 5 = 6x - 51$$

$$(19) x = \boxed{} \\ -9x + 4 = -2x - 3$$

$$(20) x = \boxed{} \\ 9.45x - 7.44 = -8.42x + 2.6231$$

Solve for x.

$$(1) x = \boxed{} \\ x + 6 = 11$$

$$(2) x = \boxed{} \\ x - 1 = -5$$

$$(3) x = \boxed{} \\ 9 = x + 5$$

$$(4) x = \boxed{} \\ x - 1.19 = 7.19$$

$$(5) x = \boxed{} \\ 11x = -11$$

$$(6) x = \boxed{} \\ \frac{x}{4} = 8$$

$$(7) x = \boxed{} \\ 24 = -4x$$

$$(8) x = \boxed{} \\ 5.98x = 23.92$$

$$(9) x = \boxed{} \\ 9x + 6 = -66$$

$$(10) x = \boxed{} \\ x/7 + 3 = -2$$

$$(11) x = \boxed{} \\ -53 = -7x - 4$$

$$(12) x = \boxed{} \\ 2.6x - 7.76 = -7.552$$

$$(13) x = \boxed{} \\ 9x = 8x + 3$$

$$(14) x = \boxed{} \\ 13x = 7x - 48$$

$$(15) x = \boxed{} \\ -19x = -8x + 22$$

$$(16) x = \boxed{} \\ -1x = -0.83x + 0.4522$$

$$(17) x = \boxed{} \\ 8x - 7 = 7x - 7$$

$$(18) x = \boxed{} \\ 8x - 9 = 6x - 7$$

$$(19) x = \boxed{} \\ -6x - 1 = 6x + 59$$

$$(20) x = \boxed{} \\ 7.76x - 0.13 = -6.67x + 3.358$$

Solve for x.

$$(1) x = \boxed{} \\ x + 7 = 5$$

$$(2) x = \boxed{} \\ x - 10 = -4$$

$$(3) x = \boxed{} \\ -7 = x - 4$$

$$(4) x = \boxed{} \\ x - 2.32 = -7.78$$

$$(5) x = \boxed{} \\ 5x = -45$$

$$(6) x = \boxed{} \\ \frac{x}{11} = -5$$

$$(7) x = \boxed{} \\ 81 = -9x$$

$$(8) x = \boxed{} \\ 6.34x = -35.7576$$

$$(9) x = \boxed{} \\ 5x + 1 = 11$$

$$(10) x = \boxed{} \\ x/6 + 7 = 4$$

$$(11) x = \boxed{} \\ -9 = -2x + 5$$

$$(12) x = \boxed{} \\ 9.32x - 1.09 = -58.9672$$

$$(13) x = \boxed{} \\ 11x = 10x - 8$$

$$(14) x = \boxed{} \\ 4x = -2x - 24$$

$$(15) x = \boxed{} \\ -11x = -4x - 28$$

$$(16) x = \boxed{} \\ 1.43x = -3.16x + 31.4415$$

$$(17) x = \boxed{} \\ 5x + 7 = 4x + 3$$

$$(18) x = \boxed{} \\ 4x + 5 = -6x + 75$$

$$(19) x = \boxed{} \\ -16x + 3 = -8x + 3$$

$$(20) x = \boxed{} \\ 7.54x + 6.9 = 9.6x + 152.076$$

Solve for x.

$$(1) x = \boxed{} \\ x + 8 = -1$$

$$(2) x = \boxed{} \\ x - 8 = -14$$

$$(3) x = \boxed{} \\ -10 = x - 8$$

$$(4) x = \boxed{} \\ x + 4.74 = 13.08$$

$$(5) x = \boxed{} \\ 12x = 108$$

$$(6) x = \boxed{} \\ \frac{x}{2} = -4$$

$$(7) x = \boxed{} \\ -4 = -4x$$

$$(8) x = \boxed{} \\ -1.99x = -9.3132$$

$$(9) x = \boxed{} \\ 7x - 8 = -15$$

$$(10) x = \boxed{} \\ x/10 - 9 = -6$$

$$(11) x = \boxed{} \\ -70 = -11x - 4$$

$$(12) x = \boxed{} \\ -8.99x + 2.95 = -66.9023$$

$$(13) x = \boxed{} \\ 12x = 11x + 2$$

$$(14) x = \boxed{} \\ 3x = -9x + 36$$

$$(15) x = \boxed{} \\ -16x = -8x + 56$$

$$(16) x = \boxed{} \\ 5.92x = -1.35x + 19.3382$$

$$(17) x = \boxed{} \\ 13x + 7 = 12x + 16$$

$$(18) x = \boxed{} \\ 16x - 8 = 4x + 52$$

$$(19) x = \boxed{} \\ -16x + 3 = -8x + 19$$

$$(20) x = \boxed{} \\ -7.55x - 6.73 = 7.46x - 6.7615$$

Solve for x.

$$(1) x = \boxed{} \\ x + 3 = 2$$

$$(2) x = \boxed{} \\ x - 11 = -2$$

$$(3) x = \boxed{} \\ 14 = x + 6$$

$$(4) x = \boxed{} \\ x + 3.17 = -1.59$$

$$(5) x = \boxed{} \\ 2x = -12$$

$$(6) x = \boxed{} \\ \frac{x}{8} = 1$$

$$(7) x = \boxed{} \\ 9 = -3x$$

$$(8) x = \boxed{} \\ -4.67x = -44.2716$$

$$(9) x = \boxed{} \\ 4x + 9 = 1$$

$$(10) x = \boxed{} \\ x/12 - 5 = -3$$

$$(11) x = \boxed{} \\ 40 = -8x + 0$$

$$(12) x = \boxed{} \\ -2.44x - 9.12 = 9.3264$$

$$(13) x = \boxed{} \\ 10x = 9x + 8$$

$$(14) x = \boxed{} \\ 5x = -2x + 28$$

$$(15) x = \boxed{} \\ -10x = 2x + 36$$

$$(16) x = \boxed{} \\ 11.78x = 7.6x + 7.6494$$

$$(17) x = \boxed{} \\ 5x + 2 = 4x + 7$$

$$(18) x = \boxed{} \\ 14x + 6 = 2x + 114$$

$$(19) x = \boxed{} \\ -12x - 8 = -6x + 4$$

$$(20) x = \boxed{} \\ 7.06x - 2.48 = -6.75x - 2.3808$$

Solve for x.

$$(1) x = \boxed{} \\ x + 10 = 10$$

$$(2) x = \boxed{} \\ x - 7 = -1$$

$$(3) x = \boxed{} \\ 0 = x + 5$$

$$(4) x = \boxed{} \\ x - 1.48 = -2.68$$

$$(5) x = \boxed{} \\ 4x = -36$$

$$(6) x = \boxed{} \\ \frac{x}{5} = 9$$

$$(7) x = \boxed{} \\ 45 = -9x$$

$$(8) x = \boxed{} \\ -2.92x = -7.9716$$

$$(9) x = \boxed{} \\ 7x + 6 = 20$$

$$(10) x = \boxed{} \\ x/7 - 8 = -1$$

$$(11) x = \boxed{} \\ 24 = -2x + 6$$

$$(12) x = \boxed{} \\ -2.64x - 7.66 = -20.1472$$

$$(13) x = \boxed{} \\ 12x = 11x - 1$$

$$(14) x = \boxed{} \\ 13x = 4x + 18$$

$$(15) x = \boxed{} \\ -1x = 6x - 7$$

$$(16) x = \boxed{} \\ 1.73x = -5.4x + 23.4577$$

$$(17) x = \boxed{} \\ 9x - 9 = 8x - 6$$

$$(18) x = \boxed{} \\ 19x + 1 = 9x + 21$$

$$(19) x = \boxed{} \\ -14x - 8 = -3x - 52$$

$$(20) x = \boxed{} \\ 2.49x - 7.29 = 8.59x + 8.5544$$

Solve for x.

$$(1) x = \boxed{} \\ x + 1 = -6$$

$$(2) x = \boxed{} \\ x - 1 = -1$$

$$(3) x = \boxed{} \\ 15 = x + 8$$

$$(4) x = \boxed{} \\ x + 4.04 = 4.06$$

$$(5) x = \boxed{} \\ 7x = 63$$

$$(6) x = \boxed{} \\ \frac{x}{3} = 3$$

$$(7) x = \boxed{} \\ -49 = -7x$$

$$(8) x = \boxed{} \\ -4.46x = -24.7976$$

$$(9) x = \boxed{} \\ 8x - 7 = -71$$

$$(10) x = \boxed{} \\ x/9 + 3 = 3$$

$$(11) x = \boxed{} \\ -43 = -12x + 5$$

$$(12) x = \boxed{} \\ 9.69x - 5.61 = -13.1682$$

$$(13) x = \boxed{} \\ 10x = 9x - 4$$

$$(14) x = \boxed{} \\ 19x = 9x - 50$$

$$(15) x = \boxed{} \\ 2x = 6x - 20$$

$$(16) x = \boxed{} \\ -5.95x = -6.1x + 0.075$$

$$(17) x = \boxed{} \\ 5x + 7 = 4x + 1$$

$$(18) x = \boxed{} \\ -2x + 7 = -7x + 2$$

$$(19) x = \boxed{} \\ -14x - 9 = -6x - 65$$

$$(20) x = \boxed{} \\ 0.45x + 7.5 = -2.26x + 9.0566$$

Solve for x.

$$(1) x = \boxed{} \\ x + 12 = 19$$

$$(2) x = \boxed{} \\ x - 5 = 1$$

$$(3) x = \boxed{} \\ 0 = x - 5$$

$$(4) x = \boxed{} \\ x - 5.83 = -13.53$$

$$(5) x = \boxed{} \\ 6x = -48$$

$$(6) x = \boxed{} \\ \frac{x}{11} = 6$$

$$(7) x = \boxed{} \\ 2 = -2x$$

$$(8) x = \boxed{} \\ 5.52x = 21.0864$$

$$(9) x = \boxed{} \\ 7x + 8 = 57$$

$$(10) x = \boxed{} \\ x/8 + 1 = -8$$

$$(11) x = \boxed{} \\ 10 = -9x - 8$$

$$(12) x = \boxed{} \\ 6.06x - 6.89 = 30.2578$$

$$(13) x = \boxed{} \\ 13x = 12x - 1$$

$$(14) x = \boxed{} \\ 11x = 5x - 6$$

$$(15) x = \boxed{} \\ -10x = -1x + 45$$

$$(16) x = \boxed{} \\ 16.3x = 9.2x - 32.021$$

$$(17) x = \boxed{} \\ 2x - 3 = 1x - 9$$

$$(18) x = \boxed{} \\ 1x + 5 = -8x - 49$$

$$(19) x = \boxed{} \\ -3x + 9 = 8x - 46$$

$$(20) x = \boxed{} \\ 7.14x - 4.18 = -6.36x - 11.5588$$

Version 1

(1) 7	(2) 3	(3) -3	(4) -3.08
(5) -6	(6) 27	(7) -1	(8) -1.21
(9) 8	(10) 70	(11) -2	(12) -6.96
(13) 6	(14) 8	(15) 1	(16) 2.01
(17) -2	(18) 8	(19) -1	(20) 8.16

Version 2

(1) 5	(2) -2	(3) -3	(4) -6.99
(5) -5	(6) -108	(7) -5	(8) 1.52
(9) -4	(10) -33	(11) -6	(12) -6.85
(13) 8	(14) -7	(15) 9	(16) -7.4
(17) -3	(18) 0	(19) 6	(20) 1.54

Version 3

(1) -9	(2) -7	(3) -7	(4) 1.96
(5) -3	(6) -24	(7) 0	(8) -8.18
(9) 2	(10) 160	(11) -5	(12) 9.4
(13) -4	(14) -2	(15) 6	(16) -8.81
(17) 7	(18) 8	(19) -9	(20) -1.7

Version 4

(1) 1	(2) 8	(3) 5	(4) 6.73
(5) 2	(6) -20	(7) 1	(8) -8.43
(9) 6	(10) 51	(11) 4	(12) 8.21
(13) -8	(14) -2	(15) 5	(16) 9.31
(17) 8	(18) 9	(19) 8	(20) 8

Version 5

(1) 3	(2) -3	(3) 3	(4) -0.32
(5) -4	(6) -8	(7) 6	(8) 0.5
(9) 6	(10) 81	(11) 6	(12) 9.61
(13) 4	(14) 5	(15) -1	(16) 9.65
(17) -6	(18) 6	(19) 4	(20) -4.05

Version 6

(1) 7	(2) -5	(3) -1	(4) -9.05
(5) 4	(6) 6	(7) -9	(8) 8.2
(9) 7	(10) 72	(11) -9	(12) -4.68
(13) 5	(14) 6	(15) 3	(16) -3.24
(17) -3	(18) 0	(19) 3	(20) -1.55

Version 7

(1) 8	(2) 6	(3) 5	(4) 3.67
(5) 4	(6) -4	(7) 5	(8) 2.59
(9) 0	(10) 42	(11) -8	(12) -8.21
(13) -7	(14) -1	(15) 8	(16) 5.22
(17) -2	(18) 6	(19) 2	(20) -1.06

Version 8

(1) 3	(2) -5	(3) -3	(4) 6.01
(5) -1	(6) 10	(7) 8	(8) 2.46
(9) -9	(10) 20	(11) -9	(12) -9.07
(13) 2	(14) -8	(15) 7	(16) 7.96
(17) -2	(18) 4	(19) -6	(20) -6.51

Version 9

(1) 0	(2) -1	(3) -2	(4) 4.1
(5) -4	(6) 12	(7) -4	(8) 2.63
(9) 9	(10) -36	(11) 5	(12) -0.37
(13) -2	(14) -9	(15) -4	(16) 4.87
(17) -6	(18) 0	(19) 6	(20) 8.09

Version 10

(1) -5	(2) -4	(3) -6	(4) 9.69
(5) -2	(6) -64	(7) 0	(8) 0.16
(9) -6	(10) 14	(11) -3	(12) -0.31
(13) -7	(14) 9	(15) 4	(16) -9.66
(17) 2	(18) 9	(19) -5	(20) 8.88

Version 11

(1) 9	(2) 2	(3) -4	(4) -4.29
(5) 7	(6) -10	(7) 7	(8) -5.33
(9) 7	(10) 24	(11) 4	(12) -5.33
(13) -5	(14) -1	(15) 6	(16) 3.34
(17) -2	(18) -5	(19) -6	(20) -1.13

Version 12

(1) 9	(2) -5	(3) -9	(4) -8.56
(5) -8	(6) -12	(7) 6	(8) 2.77
(9) -7	(10) -40	(11) 2	(12) -2.88
(13) -2	(14) 9	(15) -9	(16) -9.47
(17) -1	(18) 1	(19) 7	(20) 1.02

Version 13

(1) 6	(2) -5	(3) -4	(4) 2.52
(5) -1	(6) -36	(7) -3	(8) -9.43
(9) -2	(10) -44	(11) 5	(12) -3.09
(13) -7	(14) 7	(15) 2	(16) 8.12
(17) 5	(18) -2	(19) 2	(20) -9.12

Version 14

(1) -7	(2) 8	(3) 2	(4) -3.3
(5) 6	(6) 6	(7) -2	(8) 1.56
(9) 3	(10) 54	(11) 9	(12) 3.64
(13) -6	(14) 1	(15) 6	(16) -0.34
(17) 7	(18) -8	(19) -7	(20) -8.54

Version 15

(1) 8	(2) -8	(3) -8	(4) -0.72
(5) -8	(6) 24	(7) -6	(8) 9.49
(9) 6	(10) 0	(11) -4	(12) -4.47
(13) 5	(14) -9	(15) -8	(16) -2.48
(17) 2	(18) -4	(19) 0	(20) 6.87

Version 16

(1) -7	(2) 5	(3) -5	(4) -3.65
(5) -3	(6) 49	(7) -9	(8) 4.49
(9) -1	(10) 0	(11) 6	(12) 1.4
(13) 5	(14) 9	(15) 9	(16) 9.88
(17) -5	(18) -8	(19) 1	(20) -2.57

Version 17

(1) 8	(2) -7	(3) -8	(4) 5.51
(5) -6	(6) -8	(7) 4	(8) 9.2
(9) -6	(10) 36	(11) -9	(12) -3.17
(13) 7	(14) -5	(15) 3	(16) -9.62
(17) 1	(18) 9	(19) 1	(20) -5.86

Version 18

(1) -8	(2) 1	(3) -8	(4) -3.15
(5) 5	(6) -20	(7) 3	(8) 9.94
(9) -3	(10) 0	(11) -9	(12) 1.9
(13) -2	(14) 7	(15) 9	(16) 9.91
(17) 2	(18) -8	(19) 1	(20) 9.77

Version 19

(1) 5	(2) -4	(3) 4	(4) 8.38
(5) -1	(6) 32	(7) -6	(8) 4
(9) -8	(10) -35	(11) 7	(12) 0.08
(13) 3	(14) -8	(15) -2	(16) -2.66
(17) 0	(18) 1	(19) -5	(20) 3.2

Version 20

(1) -2	(2) 6	(3) -3	(4) -5.46
(5) -9	(6) -55	(7) -9	(8) -5.64
(9) 2	(10) -18	(11) 7	(12) -6.21
(13) -8	(14) -4	(15) 4	(16) 6.85
(17) -4	(18) 7	(19) 0	(20) 8.47

Version 21

(1) -9	(2) -6	(3) -2	(4) 8.34
(5) 9	(6) -8	(7) 1	(8) 4.68
(9) -1	(10) 30	(11) 6	(12) 7.77
(13) 2	(14) 3	(15) -7	(16) 2.66
(17) 9	(18) 5	(19) -2	(20) 0.35

Version 22

(1) -1	(2) 9	(3) 8	(4) -4.76
(5) -6	(6) 8	(7) -3	(8) 9.48
(9) -2	(10) 24	(11) -5	(12) -7.56
(13) 8	(14) 4	(15) -3	(16) 1.83
(17) 5	(18) 9	(19) -2	(20) 0.32

Version 23

(1) 0	(2) 6	(3) -5	(4) -1.2
(5) -9	(6) 45	(7) -5	(8) 2.73
(9) 2	(10) 49	(11) -9	(12) 4.73
(13) -1	(14) 2	(15) 1	(16) 3.29
(17) 3	(18) 2	(19) 4	(20) 1.43

Version 24

(1) -7	(2) 0	(3) 7	(4) 0.02
(5) 9	(6) 9	(7) 7	(8) 5.56
(9) -8	(10) 0	(11) 4	(12) -0.78
(13) -4	(14) -5	(15) 5	(16) 0.5
(17) -6	(18) -1	(19) 7	(20) -0.86

Version 25

(1) 7	(2) 6	(3) 5	(4) -7.7
(5) -8	(6) 66	(7) -1	(8) 3.82
(9) 7	(10) -72	(11) -2	(12) 6.13
(13) -1	(14) -1	(15) -5	(16) -4.51
(17) -6	(18) -6	(19) 5	(20) -9.46